

10/04/2014 reference **H3256-69**

Global Proficiency Ltd for AsureQuality Ltd,
Ruakura Research Centre, Hamilton East,
P O Box 20474 Hamilton.

AngloDesign Pty Ltd, 2 Beaumont Road, Mount Kuringai,
Sydney, NSW 2080 Australia 612 945 78566

To whom it may concern,

(Product list follows) e.g. Anglomoil SFG Food Grade Compressor oil ISO 46 & 68

- Product type: lubricant oil
- Product use: for: food areas, incidental contact

"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3256 with conditions.

(This assessment was prepared by Global Proficiency Ltd using HACCP principles to determine equivalence with food standards listed below. See <http://assessedproducts.asurequality.com/> This supports food Risk Management Programmes & other endorsements that may apply to this product include MPI regulated farm dairy approval, MPI dairy factory endorsement, MPI regulated non-dairy animal product approvals, EPA HSNO-OSH-environment approval (& previously AQIS).

Conditions: use per instructions of a minimum quantity as release agent, lubricant with potential exposure, & protective film - latter washed or wiped to prevent transfer). Dairy transfer low e.g. <1% x values for 21CFR food limits of hydrocarbon <10 mg/kg, silicone if present <1 mg/kg & no microbiological inhibition as permitted & not prohibited see references.

General conditions:

- The product is to be used according to Manufacturer's Instructions (reflecting the assessment etc), Good Manufacturing Practice (GMP), and applicable legislation.
- Usage and carry-over to food should be minimised to ensure food function or composition are not affected, that residues are within applicable Maximum Residue Limits (MRLs/MAVs), and that food legislation requirements are met.
- The assessment is subject to notification of change (e.g. in formulation, raw materials or instructions) and expires on 10-04-2019.
- The full report is attached for supplier review and verification. The assessment is activated by countersigning.

Prepared by Global Proficiency for AsureQuality Ltd...

R.G. Hutchinson

Supplier:.....

Date: 19/5/14

Scope and purpose of the assessment:

- Asurequality assessment is a non-regulated, voluntary, and evidential certification by the supplier demonstrating equivalence with food safety standards, and also that product instructions address hazards for staff & equipment. The assessment is independently confirmed, without prejudice or guarantee, using information submitted by the supplier or from other sources. Confidentiality of the product formulation is maintained using coded material identifiers in the report, and appendices containing confidential information are provided only to the supplier.
- Scope: NZ checks (FSANZ, US FDA 21 CFR/ NSF, Food Chemicals Codex, EPA NZ, EU, French culinary listings or related data for equivalent safety). NZ background (Animal Products Act, Risk Management Programmes. Detergent & Sanitiser Manufacturer's Code of Practice) Detergent & Sanitiser Standards and Analytical Methods. Quality Manual - Assessment Procedures

Summary of assessment with risks highlighted:

Anglomoil SFG Food Grade Compressor oil ISO 46 & 68	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 132400, 132399.. as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3256 with conditions as above
Anglomoil SFG Food Grade Gear Oil ISO 460, 680, 220, 320	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 139919, 139920, 132398, 132397 as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3257 with conditions as above
Anglomoil SFG Food Grade Hydraulic Oil ISO 32,44,68	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 131821, 131820, 131819 as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3258 with conditions as above
Anglomoil Food	Product	Product use:	Conditions: use per	Status: passed	"Passed AsureQuality

Machinery Grease Heavy Duty	type: lubricant grease	for: food areas, incidental contact	instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	AsureQuality assessment cross-credited NSF 139093 ..as above	assessment for food/beverage/dairy factory incidental contact" H3259 with conditions as above
Food Machinery Grease NLG1 No2	Product type: lubricant grease	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 131581..as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3260 with conditions as above
SFG Compressor Oil ISO 100, 150, 32	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145934, 145935, 145933..as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3261 with conditions as above
SFG Oil ISO 100, 150, 68	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145937, 145983, 145936..as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3262 with conditions as above
HeaTrans 32	Product type: heat transfer oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145939..as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3263 with conditions as above
SFG Hydraulic Oil ISO 100, 150	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145940, 145941.as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3264 with conditions as above
WO Chain Oil ISO 220	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145946 as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3265 with conditions as above
WO Gear Oil ISO 220	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145948 as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3266 with conditions as above
WO Hook Oil	Product type: lubricant oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145941 as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3267 with conditions as above
White Oil 15, 68	Product type: white oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145943, 145943 ..as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3268 with conditions as above
WO Airline Oil	Product type: airline oil	Product use: for: food areas, incidental contact	Conditions: use per instructions for incidental contact including dairy/ beverage ..to 10-04-2019 as above	Status: passed AsureQuality assessment cross-credited NSF 145932 ..as above	"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3269 with conditions as above

Checklist/contents – details not repeated as this is based on NSF cross-registration and previous AsureQuality of a sample vs 21CFR.

0 Information is to be evidential (std 0).	1 Materials safety and residues etc
2 Material (other – function)	3 Quality assurance certificate
4 Purity (or Design, formulation, fabrication and finish).	5 Instructions
6 Freedom from apparent side effects	7 Efficacy or hygiene to meet food safety margins
8 Packaging safety.	9 Summary of submitted information etc
10 Standards/References - front page/may be attached	11 Contacts.
12 Confidential information re design, formulation etc.	13 Covering letter & then 14 Raw material confidential information

- Food safety (per table & incidental-contact use)
- QA (& QC) (Manufacturer has NSF registration to ISO 21469 & products may carry NSF mark).
- Instructions: sample previously sighted consistent with NSF/this assessment
- Unwanted effects (HSNO/ environmental safety per HSNO EPANZ scope & MSDS. Production effects per limits placed on incidental contact.
- Efficacy (n/a for food safety).

9 Attachments:

- NSF listings (cross-registered) and we had compared examples of formulas & instructions vs 21CFR ok.

10/04/2014 reference **H3256-69**

AngloDesign Pty Ltd, 2 Beaumont Road, Mount Kuringai,
Sydney, NSW 2080 Australia 612 945 78566

Global Proficiency Ltd for AsureQuality Ltd,
Ruakura Research Centre, Hamilton East,
P O Box 20474 Hamilton.

Dear Michael Croasdale,

This is a covering letter only. Please find attached your assessment report for any questions of suggestions. The invoice and the web listing will follow.

(Product list follows) e.g. Anglomoil SFG Food Grade Compressor oil ISO 46 & 68

- Product type: lubricant oil
- Product use: for: food areas, incidental contact
- Status: passed AsureQuality assessment \$480 + GST credited NSF 132400 & 132399 web verifiable & list at 02/05/12 following earlier assessment vs 21 CFR

"Passed AsureQuality assessment for food/beverage/dairy factory incidental contact" H3256 with conditions.

(This assessment was prepared by Global Proficiency Ltd using HACCP principles to determine equivalence with food standards listed below. See <http://assessedproducts.asurequality.com/> This supports food Risk Management Programmes & other endorsements that may apply to this product include MPI regulated farm dairy approval, MPI dairy factory endorsement, MPI regulated non-dairy animal product approvals, EPA HSNO-OSH-environment approval (& previously AQIS).

Conditions: use per instructions of a minimum quantity as release agent, lubricant with potential exposure, & protective film - latter washed or wiped to prevent transfer). Dairy transfer low e.g. <1% x values for 21CFR food limits of hydrocarbon <10 mg/kg, silicone if present <1 mg/kg & no microbiological inhibition as permitted & not prohibited see references.

General conditions:

- The product is to be used according to Manufacturer's Instructions (reflecting the assessment etc), Good Manufacturing Practice (GMP), and applicable legislation.
- Usage and carry-over to food should be minimised to ensure food function or composition are not affected, that residues are within applicable Maximum Residue Limits (MRLs/MAVs), and that food legislation requirements are met.
- The assessment is subject to notification of change (e.g. in formulation, raw materials or instructions) and expires on 10-04-2019.
- The full report is attached for supplier review and verification. The assessment is activated by countersigning.

Prepared by Global Proficiency for AsureQuality Ltd...

